

# **HCD351**

# 5V Tight Stability OCXO with CMOS/TTL Output

- Temperature stability down to 5ppb
- Single 5V oven & oscillator supply
- Compact package
- Standard European IEC CO-08 pin-out
- Custom options available




CONFIGURABLE OPTIONS	
Parameter	Option Code
Frequency	
Ageing per day (at despatch)	
Any	
< ±1x10 <sup>-9</sup>	D
< ±5x10 <sup>-10</sup>	E
< ±2x10 <sup>-10</sup>	F
Temperature stability	
Any	
< ±2x10 <sup>-8</sup>	Р
< ±1x10 <sup>-8</sup>	R
< ±5x10 <sup>-9</sup>	S
Operating temperature range	
Any	
0 to +50°C	А
-10 to +60°C	С
-20 to +70°C	F
Supply voltage (V <sub>DD</sub> )	
+5.0V (±0.5V)L	L



# **SPECIFICATIONS**

Frequency range	5.0 ~ 20.0MHz
Dimensions	36.1 x 27.2 x 19.4mm
Frequency stability	< ±5x10 <sup>-8</sup> per year
	$<\pm1x10^{-9}$ per 10% change in $V_{DD}$
Short term stability	< ±1x10 <sup>-11</sup> over 1 sec
Storage temperature	-40 to +90°C
range	
Output waveform	CMOS / TTL compatible
Frequency	$\pm 5x10^{-7}$ (typ) over +0.5 to +4.0V
adjustment	(sufficient for 10 years ageing min)
	Stabilised +4.0V supply provided
Power consumption	5.0W max at switch on
	1.2W typ when stabilised at 25°C
Warm up	< ±2x10 <sup>-8</sup> after 8mins at +20°C
Phase noise (@	< -120 dBc/Hz @ 10Hz
10.0MHz)	< -130 dBc/Hz @ 100Hz
	< -150 dBc/Hz @ 1kHz
	< -155 dBc/Hz @ 10kHz
	< -155 dBc/Hz @ 50kHz
Harmonics	< -30dB wrt carrier
Shock (IEC 68-2-27	50g for 11ms
Test Ea)	
Vibration (IEC 68-2-	10-55Hz, 1.5mm. 55-500Hz, 10g
06 Test Fc)	

# **PACKAGE DRAWING**



Dimensions in mm

# **ORDERING INFORMATION**

To request a quotation for the HCD351 please use the configurable options form to choose the options you require and then submit your configured product to our team. Our expert advisers are always happy to help with your requirements and can be contacted on +44 1460 256 100 or at <a href="mailto:sales@golledge.com">sales@golledge.com</a>.

Following product selection you will be issued with a seven character Golledge part number. Your Golledge part number is the internationally accepted Golledge manufacturing part number (MPN) that should be used for all project documentation, including bills of materials (BoMs) and purchase orders.

If you have any queries regarding any of our documentation our dedicated sales team will be happy to help.

# **HANDLING & STORAGE**



Human Body Model (HBM) 1A (250V to <500V)



Moisture Sensitivity Level (MSL): 1 (or not applicable)





# **CONSTRUCTION**

Solder sealed metal can

# **MATERIAL COMPOSITION**



Lead-free (< 0.1% by weight)



RoHS 2 compliant with no exemptions. See our

declaration



REACH compliant. See our statement



Au Ta Sn W Free of conflict minerals. See our declaration



Free of Halogens. See our declaration



Free of Ozone-depleting substances. See our

declaration



# OTHER INFORMATION

#### **About Golledge**

We are the UK's leading supplier of frequency control products and are proud to serve the global electronics industry. Our philosophy is a focus firmly on your requirements by striving to meet and exceed your needs. We do this by ensuring the utmost quality and consistency in our products and services. If you have any queries about the Golledge service or any of our products please get in touch, we'd love to hear from you.

#### Come and visit

#### Give us a call

#### Email us

Eaglewood Park, ILMINSTER, Somerset, TA19 9DQ, England Tel: +44 1460 256 100 Fax: +44 1460 256 101 sales@golledge.com

# **Our Worldwide Distributors**

# Belgium & Luxembourg

Alcom Electronics NV/SA



Email Web Tel

info@alcom.be www.alcom.be +32 (0)3 458.30.33

# China, Hong Kong - 中国 / 香港

# Meiya China



Email Web

sales@meiyatech.com www.meiyatech.com +86 755 2823 1923

#### France

#### **Equipments Scientifique**



**Email** Web

comp@es-france.com www.es-france.com +33 1 47 95 99 89

#### Germany

#### MEV Elektronik Service GmbH



Web

info@mev-elektronik.com www.mev-elektronik.com +49 54 24 23 40-0

#### India

#### V5 Semiconductors



Email Web Tel

sales@v5semiconductors.com v5semiconductors.com +91-80-2661 0621

#### Israel

#### Phoenix Technologies Ltd



Email Web Tel

sales@phnx.co.il www.phnx.co.il +972 9 764 4800

# Netherlands

#### Alcom Electronics BV



**Email** Web Tel

info@alcom.nl alcom.nl +31 (0)10 288.25.00

#### Norway

#### Link Nordic



bjorn.nyjordet@linknordic.com linknordic.com +47 93 22 68 90

#### Russia - Россия

# EFO Ltd



Email Web Tel

elena@efo.ru www.golledge.ru +7(812)327-8654

#### Spain & Portugal





Email Web Tel

ventas@rcmicro.es www.rcmicro.es +34 93 260 21 66

Our customer feedback is testament to our quality; "Never had such good service as this from anyone in 35 years of being in the industry, this is impressive and has really helped us out of a corner to keep the design flowing" Andy (Senior Design Engineer), "As always your support is state of the art" Nicoleta (Material Management), "Legendary work - as usual it has to be said" John (Operations). To take advantage of our highly praised service get in touch with us today.