

# **AGB3301**

 $50\Omega$  High Linearity Low Noise Wideband Gain Block

Data Sheet - Rev 2.2

# **FEATURES**

- 250 3000 MHz Frequency Range
- +45 dBm Output IP3
- Low Noise Figure: 2.4 dB at 900 MHz
- 13.5 dB Gain at 900 MHz
- +24 dBm P1dB
- SOT-89 Package
- Single +5V to +9V Supply
- · Low Power: less than 1 Watt
- Case Temperature: -40 to +100 °C
- RoHS Compliant Package, 260 °C MSL-2

# **APPLICATIONS**


- Cellular Base Stations for W-CDMA, CDMA, TDMA, GSM, PCS and CDPD systems
- Fixed Wireless
- MMDS/WLL
- WLAN, HyperLAN
- CATV

# S24 Package SOT-89

### PRODUCT DESCRIPTION

The AGB3301 is one of a series of GaAs MESFET amplifiers designed for use in applications requiring high linearity, low noise and low distortion. With a high output IP3, low noise figure and wide band operation, the AGB3301 is ideal for  $50\Omega$  wireless

infrastructure applications such as Cellular Base Stations, MMDS, and WLL. Offered in a low cost SOT-89 surface mount package, the AGB3301 requires a single +5V to +9V supply, and typically consumes less than 1 Watt of power.






Figure 2: Pin Out

**Table 1: Pin Description** 

PIN	NAME	DESCRIPTION
1	RFIN	RF Input
2	GND	Ground
3	RFоит	RF Output / Bias
4	GND	Ground

# **ELECTRICAL CHARACTERISTICS**

**Table 2: Absolute Minimum and Maximum Ratings** 

PARAMETER	MIN	MAX	UNIT
Device Voltage	0	+12	VDC
RF Input Power	-	+15	dBm
Storage Temperature	-40	+150	°C
Channel Temperature	-	+150	°C

Stresses in excess of the absolute ratings may cause permanent damage. Functional operation is not implied under these conditions. Exposure to absolute ratings for extended periods of time may adversely affect reliability.

**Table 3: Operating Ranges** 

PARAMETER	MIN	TYP	MAX	UNIT
Operating Frequency: f	250	-	3000	MHz
Device Voltage: VDD	-	+9	+10	VDC
Case Temperature: Tc	-40	-	+100	°C

The device may be operated safely over these conditions; however, parametric performance is guaranteed only over the conditions defined in the electrical specifications.

Table 4: Electrical Specifications - Unmatched 50 $\Omega$  Test Circuit (TA = +25 °C, VDD = +9 VDC, f = 900 MHz, see Figure 3)

PARAMETER	MIN	TYP	MAX	UNIT
Gain: S21	12	13.5	15	dB
Input Return Loss: S11	-	-15	-10	dB
Output Return Loss: S22	-	-15	-10	dB
Output IP3 (1)	+42	+45	-	dBm
Noise Figure	ı	2.4	3.5	dB
Output 1dB Compression: P1dB	-	+24	-	dBm
Thermal Resistance: θυς	-	-	40	°C/W
Supply Current	90	110	130	mA

Votes:

(1) OIP3 is measured with two tones: 900 MHz and 901 MHz, +5dBm output per tone.




Figure 3: Unmatched 50 $\Omega$  Test Circuit

# **PERFORMANCE DATA**

Figures 4 through 8 contain data for the device as tested in the unmatched  $50\Omega$  test circuit shown in Figure 3. Unless otherwise indicated,  $V_{DD}$  = +9 VDC.

Figure 4: OIP3 vs. Frequency (in Unmatched 50 $\Omega$  Test Circuit)




Figure 5: OIP3 vs. Case Temperature (in Unmatched 50 $\Omega$  Test Circuit)




Figure 6: Gain vs. Frequency (in Unmatched 50 $\Omega$  Test Circuit)




Figure 7: Gain vs. Case Temperature (in Unmatched 50 $\Omega$  Test Circuit)





Figure 8: Return Loss vs. Frequency (in Unmatched 50Ω Test Circuit)



# **APPLICATION INFORMATION**





Figure 9: 900 MHz Application Circuit (50Ω Terminations)

Table 5: 900 MHz Application Performance (Vsupply = +9 VDC)

PARAMETER	TYP	UNIT
Gain: S21	13.8	dB
Input Return Loss: S11	-20	dB
Output Return Loss: S22	-18	dB
Output IP3 (1)	+47	dBm
Noise Figure	2.4	dB
Output 1dB Compression: P1dB	+24	dBm

Figure 10: Output 3rd-Order Intercept vs. Power (Vsupply = +9 VDC, 900 MHz Application Circuit)



Note:

Figure 11: Gain vs. Frequency (Vsupply = +9 VDC, 900 MHz Application Circuit)





Figure 12: Return Loss vs. Frequency (VSUPPLY = +9 VDC, 900 MHz Application Circuit)



<sup>(1)</sup> OIP3 is measured with two tones: 900 MHz and 901 MHz, +5dBm output per tone.





Figure 13: 900 MHz Application Circuit (50 $\Omega$  Terminations)

Table 6: 900 MHz Application Performance (VSUPPLY = +5 VDC)

PARAMETER	TYP	UNIT
Gain: S21	13.5	dB
Input Return Loss: S11	-20	dB
Output Return Loss: S22	-20	dB
Output IP3 (1)	+42.5	dBm
Noise Figure	2.5	dB
Output 1dB Compression: P1dB	+18.5	dBm

Figure 14: Output 3rd-Order Intercept vs. Power (VSUPPLY = +5 VDC, 900 MHz Application Circuit)



(1) OIP3 is measured with two tones: 900 MHz and 901 MHz, +5dBm output per tone.

Figure 15: Gain vs. Frequency (Vsupply = +5 VDC, 900 MHz Application Circuit)





Figure 16: Return Loss vs. Frequency (VSUPPLY = +5 VDC, 900 MHz Application Circuit)







Figure 17: 1900 MHz Application Circuit (50Ω Terminations)

Table 7: 1900 MHz Application Performance (VSUPPLY = +9 VDC)

PARAMETER	TYP	UNIT
Gain: S21	12.1	dB
Input Return Loss: S11	-10	dB
Output Return Loss: S22	-12	dB
Output IP3 (1)	45	dBm
Noise Figure	2.9	dB
Output 1dB Compression: P1dB	+21	dBm

Figure 18: Output 3rd-Order Intercept vs. Power (VSUPPLY = +9 VDC, 1900 MHz Application Circuit)



(1) OIP3 is measured with two tones: 1900 MHz and 1901 MHz, +5dBm output per tone.

Figure 19: Gain vs. Frequency (Vsupply = +9 VDC, 1900 MHz Application Circuit)





Figure 20: Return Loss vs. Frequency (Vsupply = +9 VDC, 1900 MHz Application Circuit)






Figure 21: 1900 MHz Application Circuit (50Ω Terminations)

Table 8: 1900 MHz Application Performance (VSUPPLY = +5 VDC)

PARAMETER	TYP	UNIT
Gain: S21	12.0	dB
Input Return Loss: S11	-10	dB
Output Return Loss: S22	-15	dB
Output IP3 (1)	+37	dBm
Noise Figure	2.8	dB
Output 1dB Compression: P1dB	+18	dBm

Figure 22: Output 3rd-Order Intercept vs. Power (VSUPPLY = +5 VDC, 1900 MHz Application Circuit)




Figure 23: Gain vs. Frequency (Vsupply = +5 VDC, 1900 MHz Application Circuit)





Figure 24: Return Loss vs. Frequency (VSUPPLY = +5 VDC, 1900 MHz Application Circuit)



<sup>(1)</sup> OIP3 is measured with two tones: 1900 MHz and 1901 MHz, +5dBm output per tone.





Figure 25: 2500 MHz Application Circuit (50Ω Terminations)

Table 9: 2500 MHz Application Performance (Vsupply = +9 VDC)

PARAMETER	TYP	UNIT
Gain: S21	11.5	dB
Input Return Loss: S11	-15	dB
Output Return Loss: S22	-11	dB
Output IP3 (1)	+45	dBm
Noise Figure	3.4	dB
Output 1dB Compression: P1dB	+19	dBm

Figure 26: Output 3rd-Order Intercept vs. Power (VSUPPLY = +9 VDC, 2500 MHz Application Circuit)



Note:

(1) OIP3 is measured with two tones: 2500 MHz and 2501 MHz, +5dBm output per tone.

Figure 27: Gain vs. Frequency (Vsupply = +9 VDC, 2500 MHz Application Circuit)





Figure 28: Return Loss vs. Frequency (Vsupply = +9 VDC, 2500 MHz Application Circuit)







Figure 29: 2500 MHz Application Circuit (50 $\Omega$  Terminations)

Table 10: 2500 MHz Application Performance (Vsupply = +5 VDC)

PARAMETER	TYP	UNIT
Gain: S <sub>21</sub>	11.5	dB
Input Return Loss: S11	-15	dB
Output Return Loss: S22	-15	dB
Output IP3 (1)	+42	dBm
Noise Figure	3.3	dB
Output 1dB Compression: P1dB	+17	dBm

Figure 30: Output 3rd-Order Intercept vs. Power (VSUPPLY = +5 VDC, 2500 MHz Application Circuit)



(1) OIP3 is measured with two tones: 2500 MHz and 2501 MHz, +5dBm output per tone.

Figure 31: Gain vs. Frequency (Vsupply = +5 VDC, 2500 MHz Application Circuit)





Figure 32: Return Loss vs. Frequency (VSUPPLY = +5 VDC, 2500 MHz Application Circuit)



### AGB3301

### **Bias Circuit**

A schematic of the basic, unmatched bias circuit for the AGB Series Gain Blocks is shown in Figure 33. The RF input and output terminations are  $50\Omega$ . Inductor L1 provides DC power from Vsupply and serves as an RF choke to maintain desired AC performance. The input capacitor C1 and output capacitor C2 are RF blocks that isolate DC current from adjacent circuits. Capacitor C3 is used as an RF bypass that minimizes noise from the supply.

In some applications, a feedback resistor R1 may be added in series with L1, as shown in Figure 34, for improved stability or to serve as a voltage drop for operation from higher supply voltages.

# **Matching for RF Performance**

The AGB3301 Gain Block amplifier can be used in many fixed wireless frequency bands, such as the 824-894 MHz U.S. cellular bands, the 1850-1990 MHz PCS band, the 880-960 MHz GSM band, the 2400-2500 MHz ISM band, and the 2500-2686 MHz MMDS band. Reactive matching circuits may be designed for




Figure 33: Unmatched Bias Circuit




Figure 34: Bias Circuit with Optional Feedback/Voltage Drop Resistor

both the input and output, in order to optimize the RF performance for a particular application. For example, gain, linearity (OIP3) and return loss may be improved over a particular frequency band of interest.

Recommended matching circuits for various applications, as well as wideband S-parameters to use in the simulation of custom designs, are included in this data sheet. For a particular application not addressed in the data sheet, please consult with an ANADIGICS Sales Reperesentative or Application Engineer.

### **Evaluation Boards**

A versatile evaluation board that enables users to measure actual device performance has been developed for the AGB Series Gain Blocks. The generic layout allows the user to implement a wide variety of matching circuits, in order to assess performance for a particular application.

The evaluation board is 1.0" square, and is fabricated on 0.031" thick FR-4 material. Figures 35 and 36 show the via hole locations and the layout pattern on both sides of the evaluation board. The vias have a 0.010" diameter and are plated through.

To request an evaluation board, please contact an ANADIGICS Sales Reperesentative or Application Engineer.

### **ESD Sensitivity**

Electrostatic discharges can cause permanent damage to this device. Electrostatic discharges accumulate on test equipment and the human body, and can discharge without detection. Although the AGB3301 has some internal ESD protection, proper precautions and handling are strongly recommended. Refer to the ANADIGICS application note on ESD precautions.

### S-Parameter Data

Table 11 depicts the raw Magnitude and Angle data for an unmatched AGB3301 over the 50 to 3000 MHz frequency range of operation. Data is shown in 100 MHz steps, with a characteristic impedance of 50 Ohms,  $V_{DD} = +9 \text{ V}$ , and at  $T_A = +25 \,^{\circ}\text{C}$ .




Figure 35: Evaluation Board - Front (not to scale)





Figure 36: Evaluation Board - Back (X-ray) (not to scale)

Table 11: AGB3301 S-Parameters in Unmatched 50 Ohm Test Fixture  $(T_A = +25 \, ^{\circ}\text{C}, \, V_{DD} = +9 \, VDC)$ 

S11		$(T_A = +25  {}^{\circ}C, V_{DD} = +9  VDC)$								
100		(dB		(dB	_	(dB		(dB		
200     -17.974     -34.201     13.867     152.851     -17.761     -22.231     -21.803     -8.616     1.074       300     -17.597     -48.060     13.823     137.564     -17.829     -34.138     -20.469     -13.300     1.075       400     -16.818     -61.919     13.738     122.524     -17.880     -46.032     -19.340     -22.688     1.074       500     -16.203     -72.241     13.689     109.623     -17.981     -56.240     -18.198     -32.842     1.074       600     -15.872     -86.658     13.618     94.800     -18.068     -68.243     -17.305     -42.732     1.075       700     -15.078     -99.811     13.505     80.160     -18.252     -79.835     -15.953     -55.898     1.077       800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.354     52.393     -18.752     -102.55     -13.797     <	50	-17.240	-26.836	13.890	177.501	-17.739	-5.826	-22.828	-12.593	1.071
300     -17.597     -48.060     13.823     137.564     -17.829     -34.138     -20.469     -13.300     1.075       400     -16.818     -61.919     13.738     122.524     -17.880     -46.032     -19.340     -22.688     1.074       500     -16.203     -72.241     13.689     109.623     -17.981     -56.240     -18.198     -32.842     1.074       600     -15.672     -86.658     13.618     94.800     -18.068     -68.243     -17.305     -42.732     1.075       700     -15.078     -99.811     13.505     80.160     -18.252     -79.835     -15.953     -55.898     1.077       800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.644     -147.021     13.041     25.076     -18.992     -124.586     -12.202	100	-17.818	-24.935	13.923	166.419	-17.740	-12.179	-22.325	-9.197	1.071
400     -16.818     -61.919     13.738     122.524     -17.880     -46.032     -19.340     -22.688     1.074       500     -16.203     -72.241     13.689     109.623     -17.981     -56.240     -18.198     -32.842     1.074       600     -15.872     -86.658     13.618     94.800     -18.068     -68.243     -17.305     -42.732     1.075       700     -15.078     -99.811     13.505     80.160     -18.252     -79.835     -15.953     -55.898     1.077       800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.24     52.393     -18.552     -102.255     -13.797     -79.947     1.067       1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202	200	-17.974	-34.201	13.867	152.851	-17.761	-22.231	-21.803	-8.616	1.074
500     -16.203     -72.241     13.689     109.623     -17.981     -56.240     -18.198     -32.842     1.074       600     -15.872     -86.658     13.618     94.800     -18.068     -68.243     -17.305     -42.732     1.075       700     -15.078     -99.811     13.505     80.160     -18.252     -79.835     -15.953     -55.898     1.077       800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.324     52.393     -18.552     -102.255     -13.797     -79.947     1.067       1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418	300	-17.597	-48.060	13.823	137.564	-17.829	-34.138	-20.469	-13.300	1.075
600     -15.872     -86.658     13.618     94.800     -18.068     -68.243     -17.305     -42.732     1.075       700     -15.078     -99.811     13.505     80.160     -18.252     -79.835     -15.953     -55.898     1.077       800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.324     52.393     -18.552     -102.255     -13.797     -79.947     1.067       1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -12.0336     1.074       1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467 <td>400</td> <td>-16.818</td> <td>-61.919</td> <td>13.738</td> <td>122.524</td> <td>-17.880</td> <td>-46.032</td> <td>-19.340</td> <td>-22.688</td> <td>1.074</td>	400	-16.818	-61.919	13.738	122.524	-17.880	-46.032	-19.340	-22.688	1.074
700     -15.078     -99.811     13.505     80.160     -18.252     -79.835     -15.953     -55.898     1.077       800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.324     52.393     -18.552     -102.255     -13.797     -79.947     1.067       1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -12.036     1.074       1300     -10.784     -170.927     12.712     -43.32     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884<	500	-16.203	-72.241	13.689	109.623	-17.981	-56.240	-18.198	-32.842	1.074
800     -14.502     -111.363     13.431     67.244     -18.380     -90.550     -14.951     -66.502     1.074       900     -13.558     -123.957     13.324     52.393     -18.552     -102.255     -13.797     -79.947     1.067       1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -120.336     1.074       1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.0	600	-15.872	-86.658	13.618	94.800	-18.068	-68.243	-17.305	-42.732	1.075
900     -13.558     -123.957     13.324     52.393     -18.552     -102.255     -13.797     -79.947     1.067       1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -120.336     1.074       1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.5	700	-15.078	-99.811	13.505	80.160	-18.252	-79.835	-15.953	-55.898	1.077
1000     -12.872     -136.927     13.155     37.799     -18.793     -114.050     -13.045     -94.039     1.073       1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -120.336     1.074       1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.95	800	-14.502	-111.363	13.431	67.244	-18.380	-90.550	-14.951	-66.502	1.074
1100     -12.164     -147.021     13.041     25.076     -18.992     -124.586     -12.202     -106.633     1.067       1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -120.336     1.074       1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426 </td <td>900</td> <td>-13.558</td> <td>-123.957</td> <td>13.324</td> <td>52.393</td> <td>-18.552</td> <td>-102.255</td> <td>-13.797</td> <td>-79.947</td> <td>1.067</td>	900	-13.558	-123.957	13.324	52.393	-18.552	-102.255	-13.797	-79.947	1.067
1200     -11.546     -159.463     12.828     10.497     -19.285     -136.011     -11.418     -120.336     1.074       1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857	1000	-12.872	-136.927	13.155	37.799	-18.793	-114.050	-13.045	-94.039	1.073
1300     -10.784     -170.927     12.712     -4.332     -19.621     -148.937     -10.467     -134.472     1.063       1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447	1100	-12.164	-147.021	13.041	25.076	-18.992	-124.586	-12.202	-106.633	1.067
1400     -10.459     178.426     12.567     -16.845     -19.828     -158.967     -9.884     -144.828     1.063       1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -10.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000	1200	-11.546	-159.463	12.828	10.497	-19.285	-136.011	-11.418	-120.336	1.074
1500     -9.687     166.125     12.363     -31.761     -20.305     -171.081     -9.063     -158.869     1.060       1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583 <t< td=""><td>1300</td><td>-10.784</td><td>-170.927</td><td>12.712</td><td>-4.332</td><td>-19.621</td><td>-148.937</td><td>-10.467</td><td>-134.472</td><td>1.063</td></t<>	1300	-10.784	-170.927	12.712	-4.332	-19.621	-148.937	-10.467	-134.472	1.063
1600     -9.113     154.614     12.297     -46.270     -20.620     175.644     -8.547     -172.334     1.045       1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     9	1400	-10.459	178.426	12.567	-16.845	-19.828	-158.967	-9.884	-144.828	1.063
1700     -8.542     144.746     11.990     -57.669     -20.966     166.403     -7.995     175.205     1.046       1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.8	1500	-9.687	166.125	12.363	-31.761	-20.305	-171.081	-9.063	-158.869	1.060
1800     -8.130     132.897     11.806     -72.889     -21.605     153.682     -7.426     162.038     1.066       1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.867     1.228       2500     -5.462     56.234     9.626     -167.744     -27.027     68.885     -4.507     72.338<	1600	-9.113	154.614	12.297	-46.270	-20.620	175.644	-8.547	-172.334	1.045
1900     -7.614     121.269     11.563     -86.545     -22.073     141.197     -6.857     148.241     1.061       2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.867     1.228       2500     -5.462     56.234     9.626     -167.744     -27.027     68.885     -4.507     72.338     1.463       2600     -5.221     46.556     9.472     179.161     -27.961     56.842     -4.273     61.953	1700	-8.542	144.746	11.990	-57.669	-20.966	166.403	-7.995	175.205	1.046
2000     -7.248     111.723     11.180     -100.060     -22.884     131.005     -6.447     136.894     1.131       2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.867     1.228       2500     -5.462     56.234     9.626     -167.744     -27.027     68.885     -4.507     72.338     1.463       2600     -5.221     46.556     9.472     179.161     -27.961     56.842     -4.273     61.953     1.564       2700     -5.002     35.297     8.791     166.470     -29.593     45.457     -4.003     49.279	1800	-8.130	132.897	11.806	-72.889	-21.605	153.682	-7.426	162.038	1.066
2100     -6.829     99.551     11.067     -114.887     -23.345     116.441     -6.000     123.076     1.113       2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.867     1.228       2500     -5.462     56.234     9.626     -167.744     -27.027     68.885     -4.507     72.338     1.463       2600     -5.221     46.556     9.472     179.161     -27.961     56.842     -4.273     61.953     1.564       2700     -5.002     35.297     8.791     166.470     -29.593     45.457     -4.003     49.279     1.949       2800     -4.731     25.044     8.367     151.095     -31.373     26.771     -3.738     36.788	1900	-7.614	121.269	11.563	-86.545	-22.073	141.197	-6.857	148.241	1.061
2200     -6.460     88.236     10.692     -128.636     -24.074     105.279     -5.583     110.380     1.164       2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.867     1.228       2500     -5.462     56.234     9.626     -167.744     -27.027     68.885     -4.507     72.338     1.463       2600     -5.221     46.556     9.472     179.161     -27.961     56.842     -4.273     61.953     1.564       2700     -5.002     35.297     8.791     166.470     -29.593     45.457     -4.003     49.279     1.949       2800     -4.731     25.044     8.367     151.095     -31.373     26.771     -3.738     36.788     2.365       2900     -4.499     15.361     8.378     140.912     -32.317     14.056     -3.573     25.880	2000	-7.248	111.723	11.180	-100.060	-22.884	131.005	-6.447	136.894	1.131
2300     -6.101     78.176     10.611     -142.376     -24.869     93.413     -5.240     98.427     1.191       2400     -5.808     67.626     10.326     -153.887     -25.528     82.036     -4.884     85.867     1.228       2500     -5.462     56.234     9.626     -167.744     -27.027     68.885     -4.507     72.338     1.463       2600     -5.221     46.556     9.472     179.161     -27.961     56.842     -4.273     61.953     1.564       2700     -5.002     35.297     8.791     166.470     -29.593     45.457     -4.003     49.279     1.949       2800     -4.731     25.044     8.367     151.095     -31.373     26.771     -3.738     36.788     2.365       2900     -4.499     15.361     8.378     140.912     -32.317     14.056     -3.573     25.880     2.484	2100	-6.829	99.551	11.067	-114.887	-23.345	116.441	-6.000	123.076	1.113
2400   -5.808   67.626   10.326   -153.887   -25.528   82.036   -4.884   85.867   1.228     2500   -5.462   56.234   9.626   -167.744   -27.027   68.885   -4.507   72.338   1.463     2600   -5.221   46.556   9.472   179.161   -27.961   56.842   -4.273   61.953   1.564     2700   -5.002   35.297   8.791   166.470   -29.593   45.457   -4.003   49.279   1.949     2800   -4.731   25.044   8.367   151.095   -31.373   26.771   -3.738   36.788   2.365     2900   -4.499   15.361   8.378   140.912   -32.317   14.056   -3.573   25.880   2.484	2200	-6.460	88.236	10.692	-128.636	-24.074	105.279	-5.583	110.380	1.164
2500 -5.462 56.234 9.626 -167.744 -27.027 68.885 -4.507 72.338 1.463   2600 -5.221 46.556 9.472 179.161 -27.961 56.842 -4.273 61.953 1.564   2700 -5.002 35.297 8.791 166.470 -29.593 45.457 -4.003 49.279 1.949   2800 -4.731 25.044 8.367 151.095 -31.373 26.771 -3.738 36.788 2.365   2900 -4.499 15.361 8.378 140.912 -32.317 14.056 -3.573 25.880 2.484	2300	-6.101	78.176	10.611	-142.376	-24.869	93.413	-5.240	98.427	1.191
2600 -5.221 46.556 9.472 179.161 -27.961 56.842 -4.273 61.953 1.564   2700 -5.002 35.297 8.791 166.470 -29.593 45.457 -4.003 49.279 1.949   2800 -4.731 25.044 8.367 151.095 -31.373 26.771 -3.738 36.788 2.365   2900 -4.499 15.361 8.378 140.912 -32.317 14.056 -3.573 25.880 2.484	2400	-5.808	67.626	10.326	-153.887	-25.528	82.036	-4.884	85.867	1.228
2700 -5.002 35.297 8.791 166.470 -29.593 45.457 -4.003 49.279 1.949   2800 -4.731 25.044 8.367 151.095 -31.373 26.771 -3.738 36.788 2.365   2900 -4.499 15.361 8.378 140.912 -32.317 14.056 -3.573 25.880 2.484	2500	-5.462	56.234	9.626	-167.744	-27.027	68.885	-4.507	72.338	1.463
2800 -4.731 25.044 8.367 151.095 -31.373 26.771 -3.738 36.788 2.365   2900 -4.499 15.361 8.378 140.912 -32.317 14.056 -3.573 25.880 2.484	2600	-5.221	46.556	9.472	179.161	-27.961	56.842	-4.273	61.953	1.564
2900 -4.499 15.361 8.378 140.912 -32.317 14.056 -3.573 25.880 2.484	2700	-5.002	35.297	8.791	166.470	-29.593	45.457	-4.003	49.279	1.949
	2800	-4.731	25.044	8.367	151.095	-31.373	26.771	-3.738	36.788	2.365
3000 -4.268 5.171 8.018 126.890 -34.888 -1.921 -3.327 13.676 3.298	2900	-4.499	15.361	8.378	140.912	-32.317	14.056	-3.573	25.880	2.484
, , , , , , , , , , , , , , , , , , ,	3000	-4.268	5.171	8.018	126.890	-34.888	-1.921	-3.327	13.676	3.298



# **PACKAGE OUTLINE**



SYMBOL	INCHES				
	MIN.	MAX.			
Α	0.055	0.063			
В	0.017	0.022			
Вı	0.014	0.019			
С	0.014	0.017			
D	0.173	0.181			
D1	0.066	0.070			
E	0.090	0.099			
E1	0.084 0.086				
е	0.059 BSC				
e 1	0.118 BSC				
Н	0.155	0.167			
L	0.029	0.041			

### NOTES:

- 1. CONTROLLING DIMENSIONS: INCHES.
- 2. TOP PACKAGE ANGLE IS 9° =1°/-2° TOLERANCE. PACKAGE ANGLE IS 3° MAX.
- 3. PACKAGE CORNER RADIUS IS 5 MILS MAX ON ALL CORNERS.
- 4. SHINNY PACKAGE FINISH ON ALL SIDES EXCEPT TOP SIDE. FINISH MINIMUM MATTE OF 10-14VDI.

Figure 37: S24 Package Outline - SOT-89




Figure 38: Branding Specifications

### ORDERING INFORMATION

PART NUMBER	TEMPERATURE RANGE	PACKAGE DESCRIPTION	COMPONENT PACKAGING
AGB3301RS24Q1	-40 to +100 °C	RoHS Compliant SOT-89 Package	1,000 piece Tape and Reel



# ANADIGICS, Inc.

141 Mount Bethel Road Warren, New Jersey 07059, U.S.A.

Tel: +1 (908) 668-5000 Fax: +1 (908) 668-5132

URL: http://www.anadigics.com E-mail: Mktg@anadigics.com

### **IMPORTANT NOTICE**

ANADIGICS, Inc. reserves the right to make changes to its products or to discontinue any product at any time without notice. The product specifications contained in Advanced Product Information sheets and Preliminary Data Sheets are subject to change prior to a product's formal introduction. Information in Data Sheets have been carefully checked and are assumed to be reliable; however, ANADIGICS assumes no responsibilities for inaccuracies. ANADIGICS strongly urges customers to verify that the information they are using is current before placing orders.

### WARNING

ANADIGICS products are not intended for use in life support appliances, devices or systems. Use of an ANADIGICS product in any such application without written consent is prohibited.

