

Micro Commercial Components



Micro Commercial Components 20736 Marilla Street Chatsworth

CA 91311

Phone: (818) 701-4933 (818) 701-4939


BAS70WX

Surface Mount

Schottky Barrier Diode 200mW

SOD-323

DIMENSIONS						
DIM	INCHES		N	NOTE		
	MIN	MAX	MIN	MAX		
Α	.090	.107	2.30	2.70		
В	.063	.071	1.60	1.80		
С	.045	.053	1.15	1.35		
D	.031	.045	0.80	1.15		
Е	.010	.016	0.25	0.40		
G	.004	.018	0.10	0.45		
Н	.004	.010	0.10	0.25		
J		.006		0.15		



Features

- Lead Free Finish/RoHS Compliant("P" Suffix designates RoHS Compliant. See ordering information)
- Fast Switching Speed
- Low Turn-on Voltage
- Surface Mount Package Ideally Suited for Automatic Insertion
- PN Junction Guard Ring for Transient and ESD Protection

Mechanical Data

- Marking: K73
- Polarity: Indicated by Cathode Band
- Epoxy meets UL 94 V-0 flammability rating
- Moisture Sensitivity Level 1

Maximum Ratings @ 25°C Unless Otherwise Specified

Characteristic	Symbol	Value	Unit
Peak Repetitive Reverse Voltage Working Peak Reverse Voltage	$egin{array}{c} V_{ m RRM} \ V_{ m RWM} \end{array}$	70	V
DC Blocking Voltage	V RWM	70	•
RMS Reverse Voltage	V _{R(RMS)}	49	V
Forward Continuous Current(Note1)	I_F	70	mA
Forward Surge Current @ t<1.0s	I_{FSM}	100	mA
Power Dissipation(Note 1)	P_{d}	200	mW
Thermal Resistance(Note 1)	R	625	K/W
Operation Temp. Range	T_{j}	-55 to +125	°C
Storage Temp. Range	T _{STG}	-65 to +150	°C

Electrical Characteristics @ 25°C Unless Otherwise Specified

Charateristic	Symbol	Min	Max	Unit	Test Cond.
Forward Voltage	V _F		0.41	V	t_p <300us I_F =1.0mA t_p <300us I_F =15mA
Reverse Leakage Current	I_R		100	nA	$t_p < 300 us \ V_R = 50 V$
Junction Capacitance	C_{j}		2	pF	$V_R=0V$, $f=1.0MHz$
Reverse Recovery Time	t _{rr}		5	ns	$I_F = I_R = 10 \text{mA}$ $I_R = 1.0 \text{mA},$ $R_L = 100 \text{OHM}$

Valid provided that terminals are kept at ambient temperature.



Micro Commercial Components

Ordering Information:

Device	Packing
Part Number-TP	Tape&Reel: 3Kpcs/Reel

IMPORTANT NOTICE

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes. **Micro Commercial Components Corp.** does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold **Micro Commercial Components Corp.** and all the companies whose products are represented on our website, harmless against all damages.

LIFE SUPPORT

MCC's products are not authorized for use as critical components in life support devices or systems without the express written approval of Micro Commercial Components Corporation.

CUSTOMER AWARENESS

Counterfeiting of semiconductor parts is a growing problem in the industry. Micro Commercial Components (MCC) is taking strong measures to protect ourselves and our customers from the proliferation of counterfeit parts. MCC strongly encourages customers to purchase MCC parts either directly from MCC or from Authorized MCC Distributors who are listed by country on our web page cited below. Products customers buy either from MCC directly or from Authorized MCC Distributors are genuine parts, have full traceability, meet MCC's quality standards for handling and storage. MCC will not provide any warranty coverage or other assistance for parts bought from Unauthorized Sources. MCC is committed to combat this global problem and encourage our customers to do their part in stopping this practice by buying direct or from authorized distributors.