

# MAPDCT0033



2 Way 0° Power Divider  
5-1000MHz

M/A-COM Products  
Rev. V2



## Features

- Surface Mount
- 2 Way 0 degree
- 260°C Reflow Compatible
- RoHS\* Compliant
- RoHS version of ELPD-20-1
- Available on Tape and Reel. Reel quantity 900

## Description

M/A-COM's MAPDCT0033 is 2 way 0 degree RF power divider in a low cost, surface mount package. Ideally suited for high volume CATV/Broadband applications.


## Schematic



## Pin Configuration

Pin No.	Function
1	Ground
2	Not connected (ground)
3	Output 1
4	Output 2
5	Not connected (ground)
6	Input

## Case Style: SM-139



FOOTPRINT FOR PC DESIGN

Dimensions in inches [mm] Tolerance: .xx ± .02, .xxx ± .010

## Ordering Information

Part Number	Package
MAPDCT0033	900 piece reel
MAPD-008086-CT33TB	Customer test board

Note: Reference Application Note **M513** for reel size information.

\* Restrictions on Hazardous Substances, European Union Directive 2002/95/EC.

1

**ADVANCED:** Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed.  
**PRELIMINARY:** Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

- North America Tel: 800.366.2266
- Europe Tel: +353.21.244.6400
- India Tel: +91.80.4155721
- China Tel: +86.21.2407.1588

Visit [www.macomtech.com](http://www.macomtech.com) for additional data sheets and product information.

M/A-COM Technology Solutions Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

**Electrical Specifications:  $T_A = 25^\circ\text{C}$ ,  $Z_0 = 75\Omega$  <sup>1</sup>**


Parameter	Frequency	Units	Min	Typ	Max
Insertion Loss	5 - 50 MHz	dB	-	0.2	0.5
	50 - 500 MHz	dB	-	0.5	0.8
	500 - 1000 MHz	dB	-	1.0	1.3
Amplitude Unbalance (Nominal 0dB)	5 - 50 MHz	dB	-	0.0	$\pm 0.1$
	50 - 500 MHz	dB	-	0.0	$\pm 0.3$
	500 - 1000 MHz	dB	-	0.1	$\pm 0.5$
Phase Unbalance (Nominal 0°)	5 - 50 MHz	°	-	0.0	$\pm 1.0$
	50 - 500 MHz	°	-	0.4	$\pm 3.0$
	500 - 1000 MHz	°	-	0.8	$\pm 4.0$
Return Loss: Input	5 - 750 MHz	dB	18	35	-
	750 - 1000 MHz	dB	12	25	-
Return Loss: Output	5 - 750 MHz	dB	18	22	-
	750 - 1000 MHz	dB	15	24	-
Isolation (between outputs)	5 - 50 MHz	dB	22	26	-
	50 - 500 MHz	dB	22	29	-
	500 - 1000 MHz	dB	18	22	-

**Absolute Maximum Ratings <sup>1,2</sup>**

Parameter	Absolute Maximum
Max Input Power	1W
DC current	240mA
Operating Temperature	-40°C to +85°C
Storage Temperature	-55°C to +100°C

1. Exceeding any one or combination of these limits may cause permanent damage to this device.
2. M/A-COM does not recommend sustained operation near these survivability limits.

**Recommended PCB Configuration**








# MAPDCT0033



2 Way 0° Power Divider  
5-1000MHz

M/A-COM Products  
Rev. V2

Typical Performance Curves:  $T_A = 25^\circ\text{C}$ ,  $Z_0 = 75\Omega$ <sup>1</sup>



3

**ADVANCED:** Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed.

**PRELIMINARY:** Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

• North America Tel: 800.366.2266 • Europe Tel: +353.21.244.6400  
• India Tel: +91.80.4155721 • China Tel: +86.21.2407.1588

Visit [www.macomtech.com](http://www.macomtech.com) for additional data sheets and product information.

M/A-COM Technology Solutions Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.