

TRUSTED BATTERY SOLUTION

KEEPING YOU IN CHARGE







PSC-121000A-C 12V 1A

Sealed Lead Acid Battery Charger A-C Battery Charger Series


FEATURES

- Universal input voltage range 10VAC 240VAC
- Automatic, current sensing dual-rate charging for efficient, care-free and safe operation
- LED indicators
- Alligator clip connectors with insulated sleeves

APPROVALS

- Approved for transport by air. D.O.T., I.A.T.A., F.A.A. and C.A.B. certified
- ISO9001:2015 Quality management systems
- ETL
- DOE
- FCC
- CE

CHARGER CHARACTERISTICS



GLOBAL HEADQUARTERS

(USA AND INTERNATIONAL EXCLUDING EMEA)

Power-Sonic Corporation 365 Cabela Dr Suite 300, Reno, Nevada 89523

T: +1 619 661 2020

E: customer-service@power-sonic.com

POWER-SONIC EMEA

(EMEA - EUROPE, MIDDLE EAST AND AFRICA)

Smitspol 4, 3861 RS Nijkerk, The Netherlands

T NL: + 31 33 7410 700 T UK: + 44 1268 560 686 T FR: + 33 344 32 18 17

E: salesEMEA@power-sonic.com

PERFORMANCE SPECIFICATIONS

Input Specs

AC input voltage rating 100Vac-240Vac AC input frequency 47Hz-63Hz

AC input current 0.3@115Vac/0.19A@230Vac

AC input power 23W
AC static state current 50mA

Output Specs

Output voltage range 10-15Vdc 1A@12Vdc Output current Output power 15W 1A Bulk charge current rating Bulk charge voltage rating 14.7Vdc 13.3Vdc Float charge voltage rating Light switching current 250m∆ Charging capacity range 5Ah to 12Ah

General Specs

Efficiency 0.68

Over load protection <1.5A

Short circuit protection Yes

Reversed polarity connectors protection Yes

Operating temperature 0°C-40°C

Storage temperature -30°C-85°C

Net weight 90g

Dimensions 80 x 50 x 57mm

Enclosure Plastic Case
Application Indoor
Charger type Wall mounting
Plug type Type A (NEMA 1 - 15)

Safety Specs

Withstand voltage (Hi-Pot) $3000 \text{Vac} \le 10 \text{mA} (60 \text{s})$ Insulation resistance $>100 \text{M}\Omega \ @500 \text{Vdc}$

Safety standard ETL
Compliance FCC

LED Indicator Status

Green LED on No load or float charge
Red LED on Fast charge

FURTHER INFORMATION

Please refer to our website **www.power-sonic.com** for a complete range of useful downloads, such as product catalogs, material safety data sheets (MSDS), ISO certification, etc.