

SLE6 • SLE10

Dust Proof

FUJISOKU SWITCHES

Miniature Power Rocker Switches



C-US UL CSA VDE SEMKO

RoHS Compliant


Features

1. C-US UL, CSA, VDE and SEMKO approved products
2. Snap-in panel mounting
3. Compact size is suited for space-saving design.
4. Best suited for power supply of equipment.
5. Dust-proof type
6. Breaking distance is 3 mm or over.

Specifications

Rating	SLE6	Max.	6A 125VAC · 4A 250AC (Resistive load.)
		Min.	10mA 5VAC/DC (Resistive load.)
	SLE10	Max.	10A 125VAC · 5A 250VAC (Resistive load.)
		Min.	10mA 5VAC/DC (Resistive load.)
Initial contact resistance		20mΩ max. (1A 2~4V DC)	
Dielectric strength		1,500VAC 1 minute (Between terminals)	
Insulation resistance		100MΩ min. (Between terminals) (500VDC)	
Electrical life		10,000 cycles	
Operating force		2.45~12.7N	
Operating temperature range		-25~+85°C	
Storage temperature range		-40~+85°C	

Part Numbering



Approvals

UL File No.E43275

CSA File No.LR38341

VDE License No.120752

SEMKO File No.1312452

Terminal Styles

Terminal styles	Solder Terminal	TAB#187		Right Angle Terminal
styles	None	2	5	4
Dimensions	 t=0.8	 t=0.5	 t=0.8	 t=0.8

Marking Color




Frame color-Rocker color	Marking color
Black	White

The black color is standard for the frame and the rocker.


The gray and the ivory colors are also available as custom-made items.

SLE6 • SLE10

SLE6A
SLE6D
SLE10A
SLE10D



Part No. & rating marking






Solder Terminal

The switching function Type "A" is without terminal number (2).


Switching function	Viewed from part No. & rating marking side	
Part No.		
SLE6A-	ON	OFF
SLE10A-	ON	OFF
Connecting terminals	P-1	-
SLE6D-	ON	ON
SLE10D-	ON	ON
Connecting terminals	P-1	P-2

: Show the rocker design number.

SLE6A2
SLE6D2
SLE10A2
SLE10D2



Part No. & rating marking






TAB # 187

The switching function Type "A" is without terminal number (2).


Switching function	Viewed from part No. & rating marking side	
Part No.		
SLE6A2-	ON	OFF
SLE10A2-	ON	OFF
Connecting terminals	P-1	-
SLE6D2-	ON	ON
SLE10D2-	ON	ON
Connecting terminals	P-1	P-2

: Show the rocker design number.

SLE6A4
SLE6D4
SLE10A4
SLE10D4



Part No. & rating marking






Right Angle Terminal

The switching function Type "A" is without terminal number (2).


Switching function	Viewed from part No. & rating marking side	
Part No.		
SLE6A4-	ON	OFF
SLE10A4-	ON	OFF
Connecting terminals	P-1	-
SLE6D4-	ON	ON
SLE10D4-	ON	ON
Connecting terminals	P-1	P-2

: Show the rocker design number.

SLE6A-50 SLE6D-50
SLE6A2-50 SLE6D2-50
SLE6A4-50 SLE6D4-50
SLE6A5-50 SLE6D5-50



Part No. & rating marking





Rubber cover installation

The switching function Type "A" is without terminal number (2).

Switching function	Viewed from part No. & rating marking side	
Part No.		
SLE6A-50 SLE6A2-50 SLE6A4-50 SLE6A5-50	ON	OFF
Connecting terminals	P-1	-
SLE6D-50 SLE6D2-50 SLE6D4-50 SLE6D5-50	ON	ON
Connecting terminals	P-1	P-2


PC Hole Layouts

Series	SLE6A4 SLE10A4	SLE6D4 SLE10D4
Dimensions		

Panel Cut-Out Dimensions

Switches







Panel thickness	X
0.75~1.25	19.2
1.25~3.5	19.4



Switch Guard Installation

Panel thickness	X
0.75~2.8	19.4

Table of Part Numbers

Current	Terminal styles	Switching function	Part No. and rating marking side					
								
6A	Solder Terminal	ON-OFF	SLE6A	SLE6A-5	SLE6A-6	SLE6A-7	★SLE6A-8	☆SLE6A-9
		ON-ON	SLE6D	★SLE6D-5	☆SLE6D-6	▲SLE6D-7	▲SLE6D-8	▲SLE6D-9
	t=0.5 TAB	ON-OFF	SLE6A2	SLE6A2-5	SLE6A2-6	SLE6A2-7	▲SLE6A2-8	☆SLE6A2-9
		ON-ON	SLE6D2	★SLE6D2-5	▲SLE6D2-6	★SLE6D2-7	▲SLE6D2-8	★SLE6D2-9
	t=0.8 TAB	ON-OFF	▲SLE6A5	★SLE6A5-5	★SLE6A5-6	★SLE6A5-7	▲SLE6A5-8	★SLE6A5-9
		ON-ON	▲SLE6D5	▲SLE6D5-5	▲SLE6D5-6	▲SLE6D5-7	▲SLE6D5-8	★SLE6D5-9
	Right Angle Terminal	ON-OFF	▲SLE6A4	★SLE6A4-5	★SLE6A4-6	★SLE6A4-7	▲SLE6A4-8	▲SLE6A4-9
		ON-ON	★SLE6D4	★SLE6D4-5	★SLE6D4-6	★SLE6D4-7	▲SLE6D4-8	▲SLE6D4-9
10A	Solder Terminal	ON-OFF	★SLE10A	★SLE10A-5	★SLE10A-6	☆SLE10A-7	▲SLE10A-8	★SLE10A-9
		ON-ON	★SLE10D	★SLE10D-5	▲SLE10D-6	▲SLE10D-7	▲SLE10D-8	▲SLE10D-9
	t=0.5 TAB#187	ON-OFF	★SLE10A2	SLE10A2-5	SLE10A2-6	★SLE10A2-7	▲SLE10A2-8	★SLE10A2-9
		ON-ON	▲SLE10D2	★SLE10D2-5	★SLE10D2-6	▲SLE10D2-7	▲SLE10D2-8	▲SLE10D2-9
	t=0.8 TAB#187	ON-OFF	▲SLE10A5	☆SLE10A5-5	★SLE10A5-6	▲SLE10A5-7	▲SLE10A5-8	★SLE10A5-9
		ON-ON	★SLE10D5	▲SLE10D5-5	▲SLE10D5-6	★SLE10D5-7	▲SLE10D5-8	▲SLE10D5-9
	Right Angle Terminal	ON-OFF	▲SLE10A4	★SLE10A4-5	▲SLE10A4-6	★SLE10A4-7	▲SLE10A4-8	▲SLE10A4-9
		ON-ON	★SLE10D4	▲SLE10D4-5	▲SLE10D4-6	▲SLE10D4-7	▲SLE10D4-8	▲SLE10D4-9

Fit on rubber cover

Current	Terminal styles	Switching function	Part No.
6A	Solder Terminal	ON-OFF	★SLE6A-50
		ON-ON	★SLE6D-50
	t-0.5 TAB	ON-OFF	★SLE6A2-50
		ON-ON	★SLE6D2-50
	t-0.8 TAB	ON-OFF	★SLE6A5-50
		ON-ON	★SLE6D5-50
	Right Angle Terminal	ON-OFF	★SLE6A4-50
		ON-ON	★SLE6D4-50

Handling Precautions

1. Soldering Specifications

(1) Manual Soldering

Device : Soldering iron
380°C, Max.; 3 seconds, Max.

※The tab terminals cannot be soldered

2. Precautions for panel mounting

Page.....314

Switch Guard

For details, refer to page 312.

A series

Poles	Part number	Switching function	UL (※1)
1 pole	ALE1D-2M4-10-Z	ON -OFF- ON	○
	ALE1D-5M4-10-Z		○
	ALE1E-2M4-10-Z	ON -OFF- ON	○
	ALE1E-5M4-10-Z		○
	ALE1F-2M4-10-Z	ON - (ON)	○
	ALE1F-5M4-10-Z		○
	ALE1G-2M4-10-Z	(ON) -OFF- (ON)	○
	ALE1G-5M4-10-Z		○
	ALE1H-2M4-10-Z	ON -OFF- (ON)	○
	ALE1H-5M4-10-Z		○
2 poles	ALE2D-2M4-10-Z	ON - ON	○
	ALE2D-5M4-10-Z		○
	ALE2N-2M4-10-Z	ON -OFF- ON	○
	ALE2E-2M4-10-Z		○
	ALE2E-5M4-10-Z	ON - (ON)	○
	ALE2P-2M4-10-Z		○
	ALE2F-2M4-10-Z	(ON) -OFF- (ON)	○
	ALE2F-5M4-10-Z		○
	ALE2R-2M4-10-Z	ON -OFF- (ON)	○
	ALE2G-2M4-10-Z		○
	ALE2G-5M4-10-Z	ON -OFF- (ON)	○
	ALE2S-2M4-10-Z		○
	ALE2H-2M4-10-Z	ON -OFF- (ON)	○
	ALE2H-5M4-10-Z		○
	ALE2T-2M4-10-Z		○

Miniature Rocker Switches

Poles	Part number	Switching function	UL (※1)	CSA (※2)
1 pole	HLA112A	ON-OFF	○	○
	HLA112A12		○	○
	HLC112A		○	○
	HLC112A12		○	○
	HLS112A		○	○
	HLS112A12		○	○
	STE115A10-Z		○	○
	STE115A12-Z		○	○
	HLA208K		ON-OFF	○
HLA208K12	○	○		
HLC208K	○	○		
HLC208K12	○	○		
HLS208K	○	○		
HLS208K12	○	○		

Miniature Poewr Switches

Poles	Type	Switching function	UL (※1)	CSA (※2)
1 pole	HLA112D	ON-ON	○	○
	HLA112D12		○	○
	HLC112D		○	○
	HLC112D12		○	○
	HLS112D		○	○
	HLS112D12		○	○
	STE115D10-Z		○	○

Miniature Rocker Switches

Poles	Part number	Switching function	UL (※1)	CSA (※2)	VDE (※4)	SEMKO (※5)	Poles	Part number	Switching function	UL (※1)	CSA (※2)	VDE (※4)	SEMKO (※5)			
1-pole	SLE6A	ON-OFF	○	○	○	○	1-pole	SLE10A	ON-OFF	○	○	○	○			
	SLE6A-5		○	○	○	○		SLE10A-5		○	○	○	○			
	SLE6A-6		○	○	○	○		SLE10A-6		○	○	○	○			
	SLE6A-7		○	○	○	○		SLE10A-7		○	○	○	○			
	SLE6A-8		○	○	○	○		SLE10A-8		○	○	○	○			
	SLE6A2		○	○	○	○		SLE10A2		○	○	○	○			
	SLE6A2-5		○	○	○	○		SLE10A2-5		○	○	○	○			
	SLE6A2-6		○	○	○	○		SLE10A2-6		○	○	○	○			
	SLE6A2-7		○	○	○	○		SLE10A2-7		○	○	○	○			
	SLE6A2-8		○	○	○	○		SLE10A2-8		○	○	○	○			
	SLE6A4		○	○	○	○		SLE10A4		○	○	○	○			
	SLE6A4-5		○	○	○	○		SLE10A4-5		○	○	○	○			
	SLE6A4-6		○	○	○	○		SLE10A4-6		○	○	○	○			
	SLE6A4-7		○	○	○	○		SLE10A4-7		○	○	○	○			
	SLE6A4-8		○	○	○	○		SLE10A4-8		○	○	○	○			
	SLE6A5		○	○	○	○		SLE10A5		○	○	○	○			
	SLE6A5-5		○	○	○	○		SLE10A5-5		○	○	○	○			
	SLE6A5-6		○	○	○	○		SLE10A5-6		○	○	○	○			
	SLE6A5-7		○	○	○	○		SLE10A5-7		○	○	○	○			
	SLE6A5-8		○	○	○	○		SLE10A5-8		○	○	○	○			
	SLE6D		ON-ON	○	○	○		○		SLE10D	ON-ON	○	○	○	○	○
	SLE6D-5			○	○	○		○		SLE10D-5		○	○	○	○	
	SLE6D-6			○	○	○		○		SLE10D-6		○	○	○	○	
	SLE6D-7			○	○	○		○		SLE10D-7		○	○	○	○	
	SLE6D-8			○	○	○		○		SLE10D-8		○	○	○	○	
	SLE6D2			○	○	○		○		SLE10D2		○	○	○	○	
	SLE6D2-5			○	○	○		○		SLE10D2-5		○	○	○	○	
	SLE6D2-6			○	○	○		○		SLE10D2-6		○	○	○	○	
	SLE6D2-7			○	○	○		○		SLE10D2-7		○	○	○	○	
	SLE6D2-8			○	○	○		○		SLE10D2-8		○	○	○	○	
	SLE6D4			○	○	○		○		SLE10D4		○	○	○	○	
	SLE6D4-5			○	○	○		○		SLE10D4-5		○	○	○	○	
SLE6D4-6	○	○		○	○	SLE10D4-6	○	○	○	○						
SLE6D4-7	○	○		○	○	SLE10D4-7	○	○	○	○						
SLE6D4-8	○	○		○	○	SLE10D4-8	○	○	○	○						
SLE6D5	○	○		○	○	SLE10D5	○	○	○	○						
SLE6D5-5	○	○		○	○	SLE10D5-5	○	○	○	○						
SLE6D5-6	○	○		○	○	SLE10D5-6	○	○	○	○						
SLE6D5-7	○	○		○	○	SLE10D5-7	○	○	○	○						
SLE6D5-8	○	○		○	○	SLE10D5-8	○	○	○	○						

(※1) UL File No. E43275

(※4) VDE File No. 120752

(※2) CSA File No. LR38341

(※5) SEMKO File No. 614385