


# ZJ Series

## SILICON EPITAXIAL PLANER ZENER DIODES

Constant Voltage Control Applications

### Features


- Glass sealed envelope
- High reliability



Glass Case DO-34  
Dimensions in mm

### Absolute Maximum Ratings ( $T_a = 25\text{ }^\circ\text{C}$ )

Parameter	Symbol	Value	Unit
Power Dissipation	$P_{tot}$	500	mW
Junction Temperature	$T_j$	175	$^\circ\text{C}$
Storage Temperature Range	$T_s$	- 65 to + 175	$^\circ\text{C}$



**SEMTECH ELECTRONICS LTD.**

(Subsidiary of Sino-Tech International Holdings Limited, a company listed on the Hong Kong Stock Exchange, Stock Code: 724)




ISO/TS 16949 : 2002 Certificate No. 05103  
 ISO 14001:2004 Certificate No. 7116  
 ISO 9001:2000 Certificate No. 0506098

Dated : 25/06/2007

# ZJ Series

## Characteristics at $T_a = 25\text{ }^\circ\text{C}$

Type	Zener Voltage <sup>1)</sup>			Operating Resistance		Rising Operating Resistance		Reverse Current	
	$V_Z$ (V)		$I_Z$ (mA)	$Z_Z$ ( $\Omega$ )		$Z_{ZK}$ ( $\Omega$ )		$I_R$ ( $\mu\text{A}$ )	
	Min.	Max.		Max.	$I_Z$ (mA)	Max.	$I_Z$ (mA)	Max.	$V_R$ (V)
ZJ2V0	1.88	2.2	5	100	5	1000	1	120	0.5
ZJ2V0A	1.88	2.1							
ZJ2V0B	2.02	2.2							
ZJ2V2	2.12	2.41	5	100	5	1000	1	120	0.7
ZJ2V2A	2.12	2.3							
ZJ2V2B	2.22	2.41							
ZJ2V4	2.33	2.63	5	100	5	1000	1	120	1
ZJ2V4A	2.33	2.52							
ZJ2V4B	2.43	2.63							
ZJ2V7	2.54	2.91	5	110	5	1000	1	100	1
ZJ2V7A	2.54	2.75							
ZJ2V7B	2.69	2.91							
ZJ3V0	2.85	3.22	5	120	5	1000	1	50	1
ZJ3V0A	2.85	3.07							
ZJ3V0B	3.01	3.22							
ZJ3V3	3.16	3.53	5	120	5	1000	1	20	1
ZJ3V3A	3.16	3.38							
ZJ3V3B	3.32	3.53							
ZJ3V6	3.455	3.845	5	100	5	1000	1	10	1
ZJ3V6A	3.455	3.695							
ZJ3V6B	3.6	3.845							
ZJ3V9	3.74	4.16	5	100	5	1000	1	5	1
ZJ3V9A	3.74	4.01							
ZJ3V9B	3.89	4.16							
ZJ4V3	4.04	4.57	5	100	5	1000	1	5	1
ZJ4V3A	4.04	4.29							
ZJ4V3B	4.17	4.43							
ZJ4V3C	4.3	4.57	5	80	5	900	0.5	5	1
ZJ4V7	4.44	4.93							
ZJ4V7A	4.44	4.68							
ZJ4V7B	4.55	4.8							
ZJ4V7C	4.68	4.93	5	70	5	1200	1	5	1.5
ZJ5V1	4.81	5.37							
ZJ5V1A	4.81	5.07							
ZJ5V1B	4.94	5.2							
ZJ5V1C	5.09	5.37	5	40	5	900	1	5	2.5
ZJ5V6	5.28	5.91							
ZJ5V6A	5.28	5.55							
ZJ5V6B	5.45	5.73							
ZJ5V6C	5.61	5.91	5	30	5	500	1	5	3
ZJ6V2	5.78	6.44							
ZJ6V2A	5.78	6.09							
ZJ6V2B	5.96	6.27							
ZJ6V2C	6.12	6.44	5	20	5	150	0.5	2	3.5
ZJ6V8	6.29	7.01							
ZJ6V8A	6.29	6.63							
ZJ6V8B	6.49	6.83							
ZJ6V8C	6.66	7.01							



**SEMTECH ELECTRONICS LTD.**

(Subsidiary of Sino-Tech International Holdings Limited, a company listed on the Hong Kong Stock Exchange, Stock Code: 724)




ISO/TS 16949 : 2002 Certificate No. 05103  
 ISO 14001:2004 Certificate No. 7116  
 ISO 9001:2000 Certificate No. 0506098

Dated : 25/06/2007

# ZJ Series

## Characteristics at $T_a = 25\text{ }^\circ\text{C}$

Type	Zener Voltage <sup>1)</sup>			Operating Resistance		Rising Operating Resistance		Reverse Current	
	$V_Z$ (V)		$I_Z$ (mA)	$Z_Z$ ( $\Omega$ )		$Z_{ZK}$ ( $\Omega$ )		$I_R$ ( $\mu\text{A}$ )	
	Min.	Max.		Max.	$I_Z$ (mA)	Max.	$I_Z$ (mA)	Max.	$V_R$ (V)
ZJ7V5	6.85	7.67	5	20	5	120	0.5	0.5	4
ZJ7V5A	6.85	7.22							
ZJ7V5B	7.07	7.45							
ZJ7V5C	7.29	7.67							
ZJ8V2	7.53	8.45	5	20	5	120	0.5	0.5	5
ZJ8V2A	7.53	7.92							
ZJ8V2B	7.78	8.19							
ZJ8V2C	8.03	8.45							
ZJ9V1	8.29	9.3	5	20	5	120	0.5	0.5	6
ZJ9V1A	8.29	8.73							
ZJ9V1B	8.57	9.01							
ZJ9V1C	8.83	9.3							
ZJ10	9.12	10.44	5	20	5	120	0.5	0.2	7
ZJ10A	9.12	9.59							
ZJ10B	9.41	9.9							
ZJ10C	9.7	10.2							
ZJ10D	9.94	10.44							
ZJ11	10.18	11.38	5	20	5	120	0.5	0.2	8
ZJ11A	10.18	10.71							
ZJ11B	10.5	11.05							
ZJ11C	10.82	11.38							
ZJ12	11.13	12.35	5	25	5	110	0.5	0.2	9
ZJ12A	11.13	11.71							
ZJ12B	11.44	12.03							
ZJ12C	11.74	12.35							
ZJ13	12.11	13.66	5	25	5	110	0.5	0.2	10
ZJ13A	12.11	12.75							
ZJ13B	12.55	13.21							
ZJ13C	12.99	13.66							
ZJ15	13.44	15.09	5	25	5	110	0.5	0.2	11
ZJ15A	13.44	14.13							
ZJ15B	13.89	14.62							
ZJ15C	14.35	15.09							
ZJ16	14.8	16.51	5	25	5	150	0.5	0.2	12
ZJ16A	14.8	15.57							
ZJ16B	15.25	16.04							
ZJ16C	15.69	16.51							
ZJ18	16.22	18.33	5	30	5	150	0.5	0.2	13
ZJ18A	16.22	17.06							
ZJ18B	16.82	17.7							
ZJ18C	17.42	18.33							
ZJ20	18.02	20.72	5	30	5	200	0.5	0.2	15
ZJ20A	18.02	18.96							
ZJ20B	18.63	19.59							
ZJ20C	19.23	20.22							
ZJ20D	19.72	20.72	5	30	5	200	0.5	0.2	17
ZJ22	20.15	22.63							
ZJ22A	20.15	21.2							
ZJ22B	20.64	21.71							
ZJ22C	21.08	22.17							
ZJ22D	21.52	22.63							



**SEMTECH ELECTRONICS LTD.**

(Subsidiary of Sino-Tech International Holdings Limited, a company listed on the Hong Kong Stock Exchange, Stock Code: 724)



ISO/TS 16949 : 2002 Certificate No. 05103  
 ISO 14001:2004 Certificate No. 7116  
 ISO 9001:2000 Certificate No. 0506098


Dated : 25/06/2007

# ZJ Series

## Characteristics at $T_a = 25\text{ }^\circ\text{C}$

Type	Zener Voltage <sup>1)</sup>			Operating Resistance		Rising Operating Resistance		Reverse Current	
	$V_Z$ (V)		$I_Z$ (mA)	$Z_Z$ ( $\Omega$ )		$Z_{ZK}$ ( $\Omega$ )		$I_R$ ( $\mu\text{A}$ )	
	Min.	Max.		Max.	$I_Z$ (mA)	Max.	$I_Z$ (mA)	Max.	$V_R$ (V)
ZJ24	22.05	24.85	5	35	5	200	0.5	0.2	19
ZJ24A	22.05	23.18							
ZJ24B	22.61	23.77							
ZJ24C	23.12	24.31							
ZJ24D	23.63	24.85	5	45	5	250	0.5	0.2	21
ZJ27	24.26	27.64							
ZJ27A	24.26	25.52							
ZJ27B	24.97	26.26							
ZJ27C	25.63	26.95	5	55	5	250	0.5	0.2	23
ZJ27D	26.29	27.64							
ZJ30	26.99	30.51							
ZJ30A	26.99	28.39							
ZJ30B	27.7	29.13	5	65	5	250	0.5	0.2	25
ZJ30C	28.36	29.82							
ZJ30D	29.02	30.51							
ZJ33	29.68	33.11							
ZJ33A	29.68	31.22	5	75	5	250	0.5	0.2	27
ZJ33B	30.32	31.88							
ZJ33C	30.9	32.5							
ZJ33D	31.49	33.11							
ZJ36	32.14	35.77	5	85	5	250	0.5	0.2	30
ZJ36A	32.14	33.79							
ZJ36B	32.79	34.49							
ZJ36C	33.4	35.13							
ZJ36D	34.01	35.77	5	90	5	250	0.5	0.2	33
ZJ39	34.68	40.8							
ZJ39A	34.68	36.47							
ZJ39B	35.36	37.19							
ZJ39C	36	37.85							
ZJ39D	36.63	38.52							
ZJ39E	37.36	39.29							
ZJ39F	38.14	40.11							
ZJ39G	38.94	40.8	5	90	5	250	0.5	0.2	36
ZJ43	40	45							
ZJ47	44	49	5	110	5	250	0.5	0.2	39
ZJ51	48	54							
ZJ56	53	60	5	110	5	250	0.5	0.2	43

<sup>1)</sup> Tested with pulses  $t_p = 20\text{ ms}$ .



**SEMTECH ELECTRONICS LTD.**







(Subsidiary of Sino-Tech International Holdings Limited, a company listed on the Hong Kong Stock Exchange, Stock Code: 724)



ISO/TS 16949 : 2002 Certificate No. 05103  
 ISO 14001:2004 Certificate No. 7116  
 ISO 9001:2000 Certificate No. 0506098

Dated : 25/06/2007

# ZJ Series











**SEMTECH ELECTRONICS LTD.**  
 (Subsidiary of Sino-Tech International Holdings Limited, a company listed on the Hong Kong Stock Exchange, Stock Code: 724)



ISO/TS 16949:2002 Certificate No. 05103  
 ISO 14001:2004 Certificate No. 7116  
 ISO 9001:2000 Certificate No. 0506098

Dated : 25/06/2007

# ZJ Series



**SEMTECH ELECTRONICS LTD.**  
 (Subsidiary of Sino-Tech International Holdings Limited, a company listed on the Hong Kong Stock Exchange, Stock Code: 724)



ISO/TS 16949 : 2002 Certificate No. 05103  
 ISO 14001:2004 Certificate No. 7116  
 ISO 9001:2000 Certificate No. 0506098

Dated : 25/06/2007